UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/599,490	09/15/2008	Klaus Russke	KAR0117PCTUS	9725
62124 QUINN LAW (7590 10/25/201 ⁰ GROUP, PLLC	EXAMINER		
39555 ORCHA	RD HILL PLACE		PEDDER, DENNIS H	
SUITE # 520 NOVI, MI 48375			ART UNIT	PAPER NUMBER
			3612	
			MAIL DATE	DELIVERY MODE
			10/25/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Comments	10/599,490	RUSSKE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Dennis H. Pedder	3612				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 15 Oc	Responsive to communication(s) filed on <u>15 October 2010</u> .					
· <u> </u>	· · · · · · · · · · · · · · · · · · ·					
·—	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
,— · · ·	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>1-7,9 and 11</u> is/are pending in the app	olication.					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-7,9 and 11</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
	4					
Application Papers						
9) The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>2/2/2010</u> is/are: a)⊠ a						
Applicant may not request that any objection to the	= : :	• •				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te				

Art Unit: 3612

DETAILED ACTION

Double Patenting

Applicants are advised that should claim 1 be found allowable, claim 11 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Claim Rejections - 35 USC § 112

- 1. The following is a quotation of the first paragraph of 35 U.S.C. 112:
 - The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.
- 2. Claims 1-7, 9, 11-12 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.
- 3. No clear discussion is given of what is intended by the vague term "to overcome a dead center on the body frame".
- 4. The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 5. Claims 1-7, 9, 11-12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Art Unit: 3612

6. The term "dead center on the body frame" is vague and not understood. As a result, determination of potential infringement is uncertain.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).
- 3. Claims 1-7, 9,11-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mertin et al. in view of Nagai et al. and either Prenger et al. or Kaltz et al.
- 4. Mertin et al. teach a power operated latching device for a convertible at a windshield header, col. 3, line 7, using a hydraulic motor.
- 5. Nagai et al. teach that a power operated latch for a manually driven vehicle lid comprises closure elements 6 and 8, motor drive unit "M" for the latch, wherein the lid is manually driven to a pre-closure position, and a catching position, figure 3, "in which the convertible top is closable, automatically" and wherein the device includes a sensor 35a, figure 5 and a control unit 47 to activate the element 8.

Art Unit: 3612

6. Both Prenger et al. or Kaltz et al. teach that a convertible top frame may have a handle shape in order to grasp same.

7. It would have been obvious to one of ordinary skill to provide in Mertin et al. an electric power operated latch as taught by Nagai et al. and structure the convertible top as taught by either Prenger et al. or Kaltz et al. to enable manual grasping.

The combination as set forth above is obvious for the following reasons set forth in KSR INTERNATIONAL CO. V. TELEFLEX INC. ET AL. US SUPREME COURT, APRIL 30, 2007:

- 1) The combination of prior art elements according to known methods yields a predictable result.
- 2) The combination substitutes one known equivalent element for another to obtain a predictable result.
- 8. As to claim 3, dual latches for a convertible top are common knowledge in the art to ensure complete closure.

As applicant has not challenged this statement of judicial notice, it is made final.

- 9. As to claim 5, see operation via member 21.
- 10. As to claims 6 and 12, Nagai et al. have switch 35, with micro-switches being common knowledge in the art in order to accommodate available space.

Applicant may seasonally challenge, for the official record in this application, this and any other statement of judicial notice in timely manner in response to this office action. Please specify the exact statement to be challenged. Applicant is reminded, with respect to the specific challenge put forth, of the duty of disclosure under Rule 56 to disclose material which is pertinent to patentability including claim rejections challenged by applicant.

11. As to claim 9, see the integrated unit in figure 2 of Nagai et al.

Art Unit: 3612

Response to Arguments

12. Applicant's arguments filed 10/15/2010 have been fully considered but they are not persuasive. Applicant's arguments to overcome the Nagai et al. rejection hinge on the term above rejected under both first and second paragraphs of 35 USC, 112. As a result, the arguments cannot be understood.

Conclusion

13. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis H. Pedder whose telephone number is (571) 272-6667. The examiner can normally be reached on 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn D. Dayoan can be reached on (571) 272-6659. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dennis H. Pedder/ Primary Examiner, Art Unit 3612 Dennis H. Pedder Primary Examiner Art Unit 3612

DHP 10/22/2010